

bcs series

bag conversion systems

High Precision Cutting and Folding

High Working Speed

Low Energy Consumption

Low Maintenance Cost





bcs series
bag conversion systems

Smooth, Automatic and Efficient conversion of fabric roll to bags

Production Speed

500 - 1550 mm

Unwinding Fabric Roll Width 300 - 1250 mm

upto 45 bags/min

Cutting Length Accuacy

± 1 mm



Cutting Length

UNWINDING UNIT

Edge Position Control Unit (EPC) automatically makes minor adjustments to align the web with precision.

Easy Mounting: The unwinding unit is designed such that a roll of circular woven fabric can be easily mounted without any requirement of external lifting device.



ACCUMULATOR UNIT

Print Mark Sensor helps in precise cutting of the fabric

Uniform Tension: This unit keeps a reserve of extra length of fabric during continuous unwinding to maintain uniform tension of fabric.



CUTTING UNIT

Hot Cutting Unit suitable for

Mouth Opening Device ensures ease of opening of the leading edge of cut-length
Cut Customized Lengths: Servo motor helps in cutting the fabric to pre-set length with minimum cut length variation.

Folding Unit Optimized folding results in fabric saving in longer run.



BAG STACKING AND CONVEYOR UNIT

Auto Switch-Off: The sewing machine automatically stops when no cut lengths are received.

Variable Frequency Drive System synchronizes the cutting unit, conveyor and sewing unit.

Thread Cutter Unit is operated through an electronic sensor for smooth operation.

Set Stack Quantities: The finished bags can be stacked in the preset number of bags.



bcs series is a series of high-speed conversion lines of tubular fabric (woven from PP/HDPE tapes) rolls in to bags.

The process involves cross-cutting of fabric rolls, bottom folding, sewing and stacking.

The machines can process coated, uncoated and laminated fabric.

These bags are ideal solution for rice, flour chemicals, fertilizer, pulses, pet foods, building materials and many more.


OPTIONAL EQUIPMENTS

- Cold Cutter (for Coated/Laminated Fabric)
- Static Charge Eliminator
- Zig-Zag Cutter
- Double Folder
- Gusseting Device
- Easy Opening
- Handle Punch
- Leno Fabric Processing Kit
- Perforation Device



bcs series

bag conversion systems



	bcs prime	bcs classic	bcs XL
Width of Unwinding Fabric Roll	300 to 850 mm	300 to 850 mm	300 to 1250 mm
Diameter of Fabric Roll (max.)	1300 mm	1300 mm	1300 mm
Internal Diameter of Core	70 - 115 mm	70 - 115 mm	70 - 115 mm
Replacement of Fabric Roll	Pneumatic System	Pneumatic System	Pneumatic System
Cutting Length	500 - 1350 mm	500 - 1350 mm	500 - 1550 mm
Cutting Length Accuracy	± 1 mm	± 1 mm	± 1 mm
Bottom Folding Width	20 - 30 mm**	20 - 30 mm**	20 - 30 mm**
Stitching Type	Single Stitch / Double Stitch	Single Stitch / Double Stitch	Single Stitch / Double Stitch
Stitching Range	4.0 - 9.0 mm	4.0 - 9.0 mm	4.0 - 9.0 mm
Production Speed	Upto 40 bags / min*	Upto 45 bags / min*	Upto 45 bags / min*
Dimensions (L x W x H)	4.0 x 5.2 x 1.5 m	4.0 x 5.1 x 1.5 m	4.2 x 6.2 x 1.5 m

^{*} Depends on material used, width of fabric, no. of folds and stitches, etc.

Specifications are subject to change without prior notice, due to continuous developments. These are indicative and not binding.

Extreme values indicated are not achievable simultaneously.

The pictures may show optional equipments that are not a part of the standard supply For details, refer to the quotation.

HEAD OFFICE & WORKS

Lohia Corp Limited D-3/A, Panki Industrial Estate Kanpur - 208022, India

T: +91 512 2691221/9936294101 E: lsl@lohiagroup.com

W: lohiagroup.com

OFFICES IN INDIA

T: +91 79 40373570 E: ahmedabad.lsl@lohiagroup.com

T: +91 11 26163281 E: delhi.lsl@lohiagroup.com

T: +91 33 46022333 E: marketing.kolkata@lohiagroup.com

T: +91 80 41137799 E: bangalore.lsl@lohiagroup.com

OVERSEAS OFFICES & ASSOCIATES

BANGKOK T: +66 26606255, E: thomas.berlingen@lohiagroup.com DUBAI T: +971 55 799 2288. E: zied.sakhria@lohiagroup.com

JAKARTA T: +62 21 5859752, E: benny giat@lohiagroup.com

MIAMI T: +1 305 2546212. E: lac@lohiagroup.com

MOSCOW T: +7 495 2692690, E: vladimir.kondratiev@lohiagroup.com

SAO LEOPOLDO-BRAZIL T: +65 51 99399193. E: daniel.schnorr@lohiagroup.com

^{**} Adjustable for Single Fold